

INTEGERS

A DEFINITION

Discover: On a distant planet, two tribes are at war: the **positives** and the **negatives**.

- When troops from the same tribe meet, they unite.

$$\begin{array}{c} (+) + (+) (+) = (+) (+) (+) \\ (-) (-) + (-) (-) = (-) (-) (-) (-) \end{array}$$

- When a **positive** and a **negative** meet, they cancel each other out.

$$(+)+(-)=\text{cancel}$$

- Let's see what happens if **2 positives** meet **1 negative**,

$$\begin{array}{c} (+) (+) + (-) = (+) \text{cancel} \\ = (+) \end{array}$$

There remains **1 positive**.

- To show which tribe the number belongs to, we put a sign in front of the number:

- The **+** sign for the tribe of **positives**.

$$+2 = (+) (+)$$

- The **-** sign for the tribe of **negatives**.

$$-3 = (-) (-) (-)$$

- Now, let's see what happens when **3 positives** meet **1 negative**.

$$\begin{array}{c} (+) (+) (+) + (-) = (+) (+) \text{cancel} \\ = (+) (+) \\ (+3) + (-1) = +2 \end{array}$$

There remains **2 positives**.

- Finally, let's see what happens when **2 positives** meet **2 negatives**.

$$\begin{array}{c} (+) (+) + (-) (-) = \text{cancel} \text{cancel} \\ (+2) + (-2) = 0 \end{array}$$

There remains 0.

Definition Positive and Negative Numbers

- **Positive numbers** are $+1, +2, \dots$. We write them with a **positive sign (+)** before the number:

$$+2 = \textcircled{+} \textcircled{+}$$

- **Negative numbers** are $-1, -2, \dots$. We write them with a **negative sign (-)** before the number:

$$-3 = \textcircled{-} \textcircled{-} \textcircled{-}$$

- **Positive numbers** are the opposite of **negative numbers**:

$$\textcircled{+} \textcircled{+} + \textcircled{-} \textcircled{-} = \textcircled{+} \textcircled{-}$$

$$(+2) + (-2) = 0$$

-2 is the opposite of $+2$.

- Integer numbers are **positive numbers**, **negative numbers**, and zero :

$$\dots, -3, -2, -1, 0, +1, +2, +3, \dots$$

- Positive numbers can be written **with** or **without** a positive sign (+) in front of the number:

$$1 = +1 = \textcircled{+}$$

- To avoid confusion between the sign of the number and the sign of the operation, we can use parentheses. For example, $+1 + -2$ becomes $(+1) + (-2)$.
- 0 is neither positive nor negative.

Ex: Calculate $(+1) + (-2)$.

Answer:

$$\textcircled{+} + \textcircled{-} \textcircled{-} = \textcircled{-} \textcircled{+}$$

$$= \textcircled{-}$$

- So, $(+1) + (-2) = -1$.

Definition Absolute Value

The **absolute value** of a number is the number without its sign.

- The absolute value of $+2 = \textcircled{+} \textcircled{+}$ is 2.
- The absolute value of $-3 = \textcircled{-} \textcircled{-} \textcircled{-}$ is 3.

B RULES OF ADDITION

Method Rules of Addition

- When you add **two positive numbers**, add their absolute values. The sum is also a positive number.

$$(+2) + (+7) = +9 \quad \text{as } 2 + 7 = 9$$

- When you add **two negative numbers**, add their absolute values. The sum is also a negative number.

$$(-5) + (-10) = -15 \quad \text{as } 5 + 10 = 15$$

- When you add a **positive number** and a **negative number**, subtract the smaller absolute value from the larger one and use the sign of the number with the larger absolute value.

$$(-2) + (+5) = +3 \quad \text{as } 5 - 2 = 3$$

$$\begin{array}{c} \ominus \ominus + \oplus \oplus \oplus \oplus \oplus = \oplus \oplus \oplus \oplus \oplus \\ = \oplus \oplus \oplus \end{array}$$

$$\begin{array}{c} \oplus \oplus + \ominus \ominus \ominus \ominus \ominus \ominus \ominus = \ominus \ominus \ominus \ominus \ominus \ominus \ominus \\ = \ominus \ominus \ominus \ominus \end{array}$$

$(+2) + (-6) = -4$ as $6 - 2 = 4$

Ex: Calculate $(-10) + (+3)$

Answer:

- $(-10) + (+3) = -7$ as $10 - 3 = 7$

$$\begin{array}{c} \ominus \ominus \ominus \ominus \ominus \ominus \ominus \ominus \ominus \ominus + \oplus \oplus \oplus = \ominus \ominus \ominus \ominus \ominus \ominus \ominus \ominus \ominus \ominus \oplus \oplus \oplus \\ = \ominus \ominus \ominus \ominus \ominus \ominus \ominus \ominus \end{array}$$

C SUBTRACTION

Discover:

- For the subtraction, $(+3) - (+2)$:

$$\begin{array}{c} \oplus \oplus \oplus - \oplus \oplus = \oplus \oplus \oplus \oplus \oplus \oplus \\ = \oplus \end{array}$$

we remove 2 positives from 3 positives, leaving us with 1 positive.

- For the addition, $(+3) + (-2)$:

$$\begin{array}{c} \oplus \oplus \oplus + \ominus \ominus = \oplus \oplus \oplus \oplus \oplus \oplus \\ = \oplus \end{array}$$

we remove again 2 positives from 3 positives.

- Therefore, these two operations are equivalent:

$$\begin{array}{c} (+3) - (+2) = (+3) + (-2) \\ \oplus \oplus \oplus - \oplus \oplus = \oplus \oplus \oplus + \ominus \ominus \end{array}$$

This shows that subtracting a positive number is the same as adding its opposite.

- For the subtraction, $(-3) - (-2)$:

$$\begin{array}{c} \ominus \ominus \ominus - \ominus \ominus = \ominus \ominus \ominus \oplus \oplus \oplus \\ = \ominus \end{array}$$

we remove 2 negatives from 3 negatives, leaving us with 1 negative.

- For the addition, $(-3) + (+2)$:

$$\begin{array}{c} \ominus \ominus \ominus + \oplus \oplus = \ominus \ominus \ominus \oplus \oplus \oplus \\ = \ominus \end{array}$$

we remove again 2 negatives from 3 negatives.

- Therefore, these two operations are equivalent:

$$(-3) - (-2) = (-3) + (+2)$$



This shows that subtracting a negative number is the same as adding its opposite.

- In conclusion, these examples show a fundamental principle of arithmetic: subtracting any number is equivalent to adding the number with its opposite sign.

Definition Subtraction

Subtracting a number is adding its opposite.

Ex: Convert the subtraction into addition: $(+4) - (+2)$

Answer:

- $(+4) - (+2) = (+4) + (-2)$

-

Ex: Calculate $(+4) - (-2)$


Answer:

$$\begin{aligned} (+4) - (-2) &= (+4) + (+2) && \text{(add the opposite)} \\ &= +6 && \text{(same sign: add the absolute values)} \end{aligned}$$


D ON THE NUMBER LINE

Discover:


- To show both positive and negative numbers on a number line, we extend the number line in both directions from zero.



- For each move from left to right by 1, the number increases by 1: $0 + 1 = +1$, $+1 + 1 = +2$, ...




- For each move from right to left by 1, the number decreases by 1: $0 - 1 = -1$, $-1 - 1 = -2$, ...




Definition Number line


A **number line** is a straight line with markings at equal intervals to denote the numbers.



Ex: Find the value of x .



Answer:




- So, $x = -2$.

E ORDERING

Discover: In the set of numbers, the order is defined as:

$$\dots < -3 < -2 < -1 < 0 < +1 < +2 < +3 < \dots$$


So, as you move along the number line from left to right, the numbers increase.



- As $+3$ is to the right of -5 , $-5 < +3$. So, when one number is **positive** and the other is **negative**, the positive number is **greater**.
- As -2 is to the right of -4 , $-4 < -2$. So, when both numbers are **negative**, the number closer to zero is **greater** (the number with the smaller absolute value is greater).
- As $+6$ is to the right of $+4$, $+4 < +6$. So, when both numbers are **positive**, the number further from zero is **greater** (the number with the greater absolute value is greater).

Method Compare two numbers


- When one number is **positive** and the other is **negative**, the positive number is **greater**.
- When both numbers are **negative**, the number closer to zero is **greater** (the number with the smaller absolute value is greater).
- When both numbers are **positive**, the number further from zero is **greater** (the number with the greater absolute value is greater).



Ex: Compare -4 and $+3$

Answer:

- As $+3$ is positive and -4 is negative, the positive number is greater than the negative number: $-4 < +3$



F MULTIPLICATION

Discover: Multiplication of two whole numbers is repeated addition: $3 \times 2 = 2 + 2 + 2 = 6$.

- $(+) \times (+)$:

$$\begin{aligned} (+3) \times (+2) &= 3 \times (+2) \\ &= (+2) + (+2) + (+2) \\ &= +6 \end{aligned}$$

$$\begin{aligned} (+3) \times (+2) &= 3 \times \text{(+)} \\ &= \text{(+)} + \text{(+)} + \text{(+)} \\ &= +6 \end{aligned}$$

So, a **positive** times a **positive** gives a **positive**.

- $(+) \times (-)$:

$$\begin{aligned} (+3) \times (-2) &= 3 \times (-2) \\ &= (-2) + (-2) + (-2) \\ &= -6 \end{aligned}$$

$$\begin{aligned} (+3) \times (-2) &= 3 \times \begin{array}{c} \text{---} \end{array} \\ &= \begin{array}{c} \text{---} \end{array} + \begin{array}{c} \text{---} \end{array} + \begin{array}{c} \text{---} \end{array} \\ &= -6 \end{aligned}$$

So, a **positive** times a **negative** gives a **negative**.

- $(-) \times (+)$: Multiplication is commutative, so the order doesn't matter.

$$\begin{aligned} (-2) \times (+3) &= (+3) \times (-2) \\ &= -6 \end{aligned}$$

So, a **negative** times a **positive** gives a **negative**.

- $(-) \times (-)$:

$$\begin{aligned} 0 \times (-2) &= 0 \\ 0 &= (+3) + (-3) \\ (+3) + (-3) \times (-2) &= (+3) \times (-2) + ((-3) \times (-2)) = 0 \\ (-6) + ((-3) \times (-2)) &= 0 \\ (-3) \times (-2) &= +6 \end{aligned}$$

So, a **negative** times a **negative** gives a **positive**.

Definition Multiplication

- $(+) \times (+) = (+)$: a **positive** times a **positive** gives a **positive**.
- $(+) \times (-) = (-)$: a **positive** times a **negative** gives a **negative**.
- $(-) \times (+) = (-)$: a **negative** times a **positive** gives a **negative**.
- $(-) \times (-) = (+)$: a **negative** times a **negative** gives a **positive**.

Ex: Calculate $(+2) \times (-5)$

Answer: $(+2) \times (-5) = -10$ as $(+) \times (-) = (-)$

G DIVISION

Discover: Multiplication and division are inverse operations:

$$3 \times 2 = 12, \text{ so } 12 \div 3 = 2$$

Now, let's look at division with negative numbers:

- $(+) \div (+)$:

$$(+3) \times (+2) = +6, \text{ so } (+6) \div (+3) = (+2)$$

So, a **positive** divided by a **positive** gives a **positive**.

- $(+) \div (-)$:

$$(-3) \times (-2) = +6, \text{ so } (+6) \div (-3) = (-2)$$

So, a **positive** divided by a **negative** gives a **negative**.

- $(-) \div (+)$:

$$(+3) \times (-2) = -6, \text{ so } (-6) \div (+3) = (-2)$$

So, a **negative** divided by a **positive** gives a **negative**.

- $(-) \div (-)$:

$$(-3) \times (+2) = -6, \text{ so } (-6) \div (-3) = (+2)$$

So, a **negative** divided by a **negative** gives a **positive**.

Definition Division

- $(+) \div (+) = (+)$: a **positive** divided by a **positive** gives a **positive**.
- $(+) \div (-) = (-)$: a **positive** divided by a **negative** gives a **negative**.
- $(-) \div (+) = (-)$: a **negative** divided by a **positive** gives a **negative**.
- $(-) \div (-) = (+)$: a **negative** divided by a **negative** gives a **positive**.

Ex: Calculate $(+10) \div (-5)$

Answer: $(+10) \div (-5) = -2$ as $(+) \div (-) = (-)$