A DEFINITION

A.1 FINDING THE FUNCTION FROM A MACHINE PROCESS

Ex 1: Consider the following calculation program:

- 1. Choose a number.
- 2. Multiply by 5.
- 3. Add 2.

Let x be the chosen number. Find the function that gives the output of this program.

$$f(x) = 5x + 2$$

Answer: Step by step:

- 1. Choose a number: x
- 2. Multiply by 5: 5x
- 3. Add 2: 5x + 2

So the function is:

$$f(x) = 5x + 2$$

Ex 2: Consider the following calculation program:

- 1. Choose a number.
- 2. Multiply by 2.
- 3. Subtract 3.

Let x be the chosen number. Find the function that gives the output of this program.

$$f(x) = 2x - 3$$

Answer: Step by step:

- 1. Choose a number: x
- 2. Multiply by 2: 2x
- 3. Subtract 3: 2x 3

So the function is:

$$f(x) = 2x - 3$$

Ex 3: Consider the following calculation program:

- 1. Choose a number.
- 2. Divide by 2.
- 3. Add 2.

Let x be the chosen number. Find the function that gives the output of this program.

$$f(x) = \boxed{\frac{x}{2} + 2}$$

Answer: Step by step:

1. Choose a number: x

- 2. Divide by 2: $\frac{x}{2}$
- 3. Add 2: $\frac{x}{2} + 2$

So the function is:

$$f(x) = \frac{x}{2} + 2$$

Ex 4: Consider the following calculation program:

- 1. Choose a number.
- 2. Multiply by $\frac{2}{3}$.
- 3. Subtract 2.

Let x be the chosen number. Find the function that gives the output of this program.

$$f(x) = \boxed{\frac{2}{3}x - 2}$$

Answer: Step by step:

- 1. Choose a number: x
- 2. Multiply by $\frac{2}{3}$: $\frac{2}{3}x$
- 3. Subtract 2: $\frac{2}{3}x 2$

So the function is:

$$f(x) = \frac{2}{3}x - 2$$

A.2 MODELING SITUATIONS WITH LINEAR FUNCTIONS

Ex 5: A mechanic charges a \$40 call-out fee and \$30 per hour thereafter.

Find the mechanic's fee M(x) for a job which takes x hours.

$$M(x) = 40 + 30x$$

Answer: The total fee is \$40 plus \$30 for each of x hours.

- For x = 1, $M(1) = 40 + 30 \times 1$
- For x = 2, $M(2) = 40 + 30 \times 2$
- :
- For x, $M(x) = 40 + 30 \times x$

Ex 6: A taxi company charges a \$5 pick-up fee and \$2 per kilometer traveled.

Find the total fare T(x) for a trip of x kilometers.

$$T(x) = 5 + 2x$$

Answer: The total fare is \$5 plus \$2 for each of x kilometers.

- For x = 1, $T(1) = 5 + 2 \times 1$
- For x = 3, $T(3) = 5 + 2 \times 3$
- _

• For x, $T(x) = 5 + 2 \times x$

Ex 7: The temperature T in degrees Fahrenheit (°F) is related to the temperature x in degrees Celsius (°C) by the following rule:

Multiply by 1.8, then add 32.

Write the function that expresses T as a function of x.

$$T(x) = 1.8x + 32$$


Answer: To convert Celsius to Fahrenheit:

- Multiply x by 1.8: 1.8x
- Add 32: 1.8x + 32

So, the function is:

$$T(x) = 1.8x + 32$$

Ex 8: A rectangle has a fixed width of 4 cm. Its length is x cm.



Express the perimeter P(x) of the rectangle as a function of its length x.

$$P(x) = 2x + 8$$

Answer: The perimeter of a rectangle is given by

$$P = 2 \times \text{length} + 2 \times \text{width}$$

Here, the width is 4, and the length is x:

$$P(x) = 2 \times x + 2 \times 4$$
$$= 2x + 8$$

Ex 9: A water tank already contains 35 liters of water and fills at a rate of 10 liters per minute. Let x be the number of minutes the tank has been filling. Find f(x) be the total amount of water in the tank in liters.

$$f(x) = \boxed{10x + 35}$$
 liters

Answer:

- After 0 minutes, $f(0) = 10 \times 0 + 35 = 35$ liters.
- After 1 minute, $f(1) = 10 \times 1 + 35 = 45$ liters.
- After 2 minutes, $f(2) = 10 \times 2 + 35 = 55$ liters.
- _
- After x minutes, f(x) = 10x + 35 liters.

Ex 10: A person starts walking at a constant speed of 5 kilometers per hour from a starting point that is 10 kilometers away from their destination. Let x be the number of hours they have been walking. Find f(x) be the distance remaining to their destination in kilometers.

$$f(x) = 10 - 5x$$
 kilometers

Answer:

- After 0 hours, $f(0) = 10 5 \times 0 = 10$ kilometers.
- After 1 hour, $f(1) = 10 5 \times 1 = 5$ kilometers.
- After 2 hours, $f(2) = 10 5 \times 2 = 0$ kilometers.
- :
- After x hours, f(x) = 10 5x kilometers.

A.3 FINDING a AND b

Ex 11: For the linear function f(x) = 2x+1, find the coefficients in the form f(x) = ax + b:

$$a = \boxed{2}$$
 and $b = \boxed{1}$

Answer:

- The function f(x) = 2x + 1 is in the form f(x) = ax + b.
- The coefficients are a = 2 and b = 1.

Ex 12: For the linear function f(x) = 5x - 2, find the coefficients in the form f(x) = ax + b:

$$a = 5$$
 and $b = -2$

Answer:

- The function f(x) = 5x + -2 is in the form f(x) = ax + b.
- The coefficients are a = 5 and b = -2.

Ex 13: For the linear function f(x) = -x - 3, find the coefficients in the form f(x) = ax + b:

$$a = \boxed{-1}$$
 and $b = \boxed{-3}$

Answer:

- The function f(x) = -1x + -3 is in the form f(x) = ax + b.
- The coefficients are a = -1 and b = -3.

Ex 14: For the linear function f(x) = 3-2x, find the coefficients in the form f(x) = ax + b:

$$a = \boxed{-2}$$
 and $b = \boxed{3}$

Answer: First, rewrite f(x) = 3 - 2x as f(x) = -2x + 3 so it matches the form ax + b.

- The function f(x) = -2x + 3 is in the form f(x) = ax + b.
- The coefficients are a = -2 and b = 3.

A.4 FINDING f(x)

Ex 15: For f(x) = 3x + 4, find:

$$f(2) = 10$$

Answer:

$$f(2) = 3 \times 2 + 4$$

= 6 + 4
= 10

Ex 16: For f(x) = -2x + 8, find:

$$f(3) = 2$$

Answer:

$$f(3) = -2 \times 3 + 8$$

= -6 + 8
= 2

Ex 17: For $f(x) = \frac{1}{2}x + \frac{1}{2}$, find:

$$f(3) = 2$$

Answer:

$$f(3) = \frac{1}{2} \times 3 + \frac{1}{2}$$
$$= \frac{3}{2} + \frac{1}{2}$$
$$= \frac{4}{2}$$

Ex 18: For f(x) = -x - 1, find:

$$f(-1) = 0$$

Answer:

$$f(-1) = -(-1) - 1$$

= 1 - 1
= 0

A.5 FINDING x FOR f(x) = c

Ex 19: For f(x) = 3x + 2, find x for f(x) = 14:

$$x = \boxed{4}$$

Answer:

$$f(x) = 3x + 2$$

$$14 = 3x + 2 (substitute f(x) = 14)$$

$$3x = 14 - 2 (subtract 2 from both sides)$$

$$3x = 12$$

$$x = \frac{12}{3} (divide both sides by 3)$$

$$x = 4$$

Ex 20: For f(x) = 5x - 3, find x for f(x) = 32:

$$x = \boxed{7}$$

Answer:

$$f(x) = 5x - 3$$

$$32 = 5x - 3 (substitute f(x) = 32)$$

$$5x = 32 + 3 (add 3 to both sides)$$

$$5x = 35$$

$$x = \frac{35}{5} (divide both sides by 5)$$

$$x = 7$$

Ex 21: For f(x) = -2x + 1, find x for f(x) = 5:

$$x = \boxed{-2}$$

Answer:

$$f(x) = -2x + 1$$

$$5 = -2x + 1 \quad \text{(substitute } f(x) = 5\text{)}$$

$$-2x = 5 - 1 \quad \text{(subtract 1 from both sides)}$$

$$-2x = 4$$

$$x = \frac{4}{-2} \quad \text{(divide both sides by } -2\text{)}$$

$$x = -2$$

Ex 22: For f(x) = 6x + 1, find x for f(x) = 10:

$$x = \boxed{\frac{3}{2}}$$

Answer:

$$f(x) = 6x + 1$$

$$10 = 6x + 1 \quad \text{(substitute } f(x) = 10\text{)}$$

$$6x = 10 - 1 \quad \text{(subtract 1 from both sides)}$$

$$6x = 9$$

$$x = \frac{9}{6} \quad \text{(divide both sides by 6)}$$

$$x = \frac{3}{2}$$

A.6 IDENTIFYING LINEAR FUNCTIONS

MCQ 23: Is f(x) = 2x + 1 a linear function?

⊠ Yes

□ No

Answer: Yes, f(x) = 2x + 1 is a linear function. It has the form f(x) = ax + b with a = 2 and b = 1.

MCQ 24: Is $f(x) = x^2 + 2x - 1$ a linear function?

☐ Yes

⊠ No

Answer: No, $f(x) = x^2 + 2x - 1$ is not a linear function. A linear function is of the form f(x) = ax + b. This function has a x^2 term, so it is quadratic.

MCQ 25: Is f(x) = -2 + 2x a linear function?

⊠ Yes

 \square No

Answer: Yes, f(x) = -2 + 2x (or f(x) = 2x - 2) is a linear function. It is of the form f(x) = ax + b with a = 2 and b = -2.

MCQ 26: Is $f(x) = \frac{2}{x}$ a linear function?

☐ Yes


 \boxtimes No

Answer: No, $f(x) = \frac{2}{x}$ is not a linear function. Linear functions have the form f(x) = ax + b with a and b constants. Here, the variable x is in the denominator.

B GRAPH

B.1 FINDING THE FUNCTION FROM THE GRAPH


Ex 27: The graph of the function is shown below:



Find the function:

$$f(x) = 2x + 1$$


Answer:



• The graph is a line with a slope $a = \frac{2}{1} = 2$ and a y-intercept b = 1. Therefore, the function is:

$$f(x) = 2x + 1$$


Ex 28: The graph of the function is shown below:



Find the function:

$$f(x) = \boxed{-2x + 3}$$


Answer:



• The graph is a line with a slope $a = \frac{-2}{1} = -2$ and a y-intercept b = 3. Therefore, the function is:

$$f(x) = -2x + 3$$


Ex 29: The graph of the function is shown below:



Find the function:

$$f(x) = 0.5x - 3$$


Answer:



• The graph is a line with a slope $a = \frac{1}{2} = 0.5$ and a y-intercept b = -3. Therefore, the function is:

$$f(x) = 0.5x - 3$$


 \mathbf{Ex} 30: The graph of the function is shown below:



Find the function:

$$f(x) = \boxed{-x+2}$$

Answer:




• The graph is a line with a slope $a = \frac{-1}{1} = -1$ and a y-intercept b = 2. Therefore, the function is:

$$f(x) = -x + 2$$

B.2 PLOTTING LINES FROM LINEAR FUNCTION

Ex 31: Plot the graph of the function f(x) = 2x - 1:




Answer:

ullet y-Intercept and Slope Method:


- The y-intercept is -1, so plot the point (0, -1).
- The slope is 2. From (0, -1), move 1 unit right $(\Delta x = 1)$, then 2 units up $(\Delta y = 2)$, to reach (1, 1).

• Two Points Method:

- Choose two values for x (e.g., x = 0 and x = 2).
- When x = 0, $f(0) = 2 \times 0 1 = -1 \rightarrow \text{point } (0, -1)$.
- When x = 2, $f(2) = 2 \times 2 1 = 4 1 = 3 \rightarrow point (2,3).$



Ex 32: Plot the graph of the function f(x) = -2x + 4:




Answer:

• y-Intercept and Slope Method:

- The y-intercept is 4, so plot the point (0,4).
- The slope is -2. From (0,4), move 1 unit right $(\Delta x = 1)$, then 2 units down $(\Delta y = -2)$, to reach (1,2).

• Two Points Method:

- Choose two values for x (e.g., x = 0 and x = 2).
- When x = 0, $f(0) = -2 \times 0 + 4 = 4 \rightarrow \text{point } (0, 4)$.
- When x = 2, $f(2) = -2 \times 2 + 4 = -4 + 4 = 0 \rightarrow \text{point}$ (2,0).




Answer:

• y-Intercept and Slope Method:

- The y-intercept is -2, so plot the point (0, -2).
- The slope is $\frac{1}{2}$. From (0, -2), move 2 units right $(\Delta x = 2)$, then 1 unit up $(\Delta y = 1)$, to reach (2, -1).

• Two Points Method:

- Choose two values for x (e.g., x = 0 and x = 4).
- When x = 0, $f(0) = \frac{1}{2} \times 0 2 = -2 \rightarrow \text{point } (0, -2)$.
- When x = 4, $f(4) = \frac{1}{2} \times 4 2 = 2 2 = 0 \rightarrow \text{point}$ (4,0).



Ex 33: Plot the graph of the function $f(x) = \frac{1}{2}x - 2$: